

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
220012	CAPE COD HOSPITAL
220020	SAINT ANNE'S HOSPITAL
220052	SIGNATURE HEALTHCARE BROCKTON HOSPITAL
220060	JORDAN HOSPITAL INC
220071	MASSACHUSETTS GENERAL HOSPITAL
220073	MORTON HOSPITAL
220074	SOUTHCOAST HOSPITAL GROUP, INC
220086	BETH ISRAEL DEACONESS MEDICAL CENTER
220100	SOUTH SHORE HOSPITAL
220110	BRIGHAM AND WOMEN'S HOSPITAL
220111	GOOD SAMARITAN MEDICAL CENTER
220116	TUFTS MEDICAL CENTER
220135	FALMOUTH HOSPITAL
410006	NEWPORT HOSPITAL
410007	RHODE ISLAND HOSPITAL

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

Worse than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Serious Complications

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

116.25

104.03

101.63

119.35

98.70

136.22

98.91

104.33

121.43

108.39

96.34

99.85

88.72

134.47

128.26

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment

0.17

0.28

0.30

0.32

0.57

0.34

0.13

0.58

0.26

0.44

0.13

0.24

0.29

0.50

0.29

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available


Not Available

Not Available

Not Available

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures



SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery

0.38

0.65

0.60

1.38

0.77

0.60

1.58

0.43

1.41

0.50

1.80

0.41

0.54

0.58

1.83

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment

1.85

1.41

2.35

1.45

2.79

1.97

1.34

3.64

0.70

2.05

1.21

2.66

2.13

2.22

4.25

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

SHG_AHRQ_Compare

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available